

Berlin Questionnaire Sleep Evaluation

1. Complete the following:

height _____ age _____

weight _____ male/female _____

2. Do you snore?

- yes
- no
- don't know

If you snore:

3. Your snoring is?

- slightly louder than breathing
- as loud as talking
- louder than talking
- very loud. Can be heard in adjacent rooms

4. How often do you snore?

- nearly every day
- 3-4 times a week
- 1-2 times a week
- 1-2 times a month
- never or nearly never

5. Has your snoring ever bothered other people?

- yes
- no

6. Has anyone noticed that you quit breathing during your sleep?

- nearly every day
- 3-4 times a week
- 1-2 times a week
- 1-2 times a month
- never or nearly never

7. How often do you feel tired or fatigued after your sleep?

- nearly every day
- 3-4 times a week
- 1-2 times a week
- 1-2 times a month
- never or nearly never

8. During your waketime, do you feel tired, fatigued or not up to par?

- nearly every day
- 3-4 times a week
- 1-2 times a week
- 1-2 times a month
- never or nearly never

9. Have you ever nodded off or fallen asleep while driving a vehicle?

- yes
- no

If yes, how often does it occur?

- nearly every day
- 3-4 times a week
- 1-2 times a week
- 1-2 times a month
- never or nearly never

10. Do you have high blood pressure?

- yes
- no
- don't know

(For office use)

Scoring Questions: Any answer within the box outline is a positive response

Scoring categories:

Category 1 is positive with 2 or more positive responses to questions 2-6

Category 2 is positive with 2 or more positive responses to questions 7-9

Category 3 is positive with 1 positive response and/or a BMI > 30

BMI = _____

Final Result: 2 or more possible categories indicates a high likelihood of sleep disordered breathing.

(Body Mass Index)

Patient Signature _____ Date _____

Sleep Center Evaluation

Have you ever had an evaluation at a Sleep Center? Yes No

If Yes:

Sleep Center Name _____
and Location _____

Sleep Study Date _____

FOR OFFICE USE ONLY

The evaluation confirmed a diagnosis of: *mild*
 moderate obstructive sleep apnea
 severe

The evaluation showed an RDI of _____ and an AHI of _____

CPAP Intolerance (Continuous Positive Airway Pressure device)

If you have attempted treatment with a CPAP device, but could not tolerate it please fill in this section:

I could not tolerate the CPAP device due to:

- mask leaks
- I was unable to get the mask to fit properly
- discomfort caused by the straps and headgear
- disturbed or interrupted sleep caused by the presence of the device
- noise from the device disturbing my sleep and/or bed partner's sleep
- CPAP restricted movements during sleep
- CPAP does not seem to be effective
- pressure on the upper lip causing tooth related problems
- a latex allergy
- claustrophobic associations
- an unconscious need to remove the CPAP apparatus at night

Other: _____

Other Therapy Attempts

What other therapies have you had for breathing disorders?
(weight-loss attempts, smoking cessation for at least one month, surgeries, etc.)

Patient Signature _____

Date _____